



# CITROËN **C4 SPACETOURER** & GRAND **C4 SPACETOURER**

PRODUCT SPECIFICATIONS



### **OVER TO YOU**

THIS IS WHERE YOU DECIDE WHICH STRENGTHS
OF CITROËN C4 SPACETOURER AND
GRAND C4 SPACETOURER MEET YOUR NEEDS.

TO WATCH THE SHOWROOM FILM SCAN THE QR CODE



#### **TOUCH EDITION.** RAISING THE STANDARD.

CITROËN C4 SPACETOURER & GRAND C4 SPACETOURER TOUCH EDITION SPECIFICATION INCLUDES:

#### Exterior Style

- 16" alloy wheels
- Body coloured door mirrors & door handles
- Privacy glass on rear windows
- Front Fog lights

#### **In-Car Entertainment**

- 7" Touch Drive interface
- Android Auto & Apple CarPlay™
- Bluetooth® handsfree & media streaming with USB socket
- RDS radio with 6 speakers & aux in
- DAB digital radio
- Steering wheel controls

#### Safety and Security

- Rear parking sensors
- Cruise control & speed limiter
- Tyre pressure monitoring system
- Perimetric & volumetric alarm
- Remote central locking (with global close function)
- Driver, front passenger, front lateral & curtain airbags
- Three ISOFIX points with top tether in row 2
- Coffee break alert
- Spare Wheel

## CITROËN C4 SPACETOURER & GRAND C4 SPACETOURER TOUCH EDITION CONTINUED:

#### **Comfort and Convenience**

- Slate grey & black 'Milazzo' cloth upholstery
- Automatic dual zone air conditioning
- Panoramic Windscreen
- Push button start
- Auto headlights & wipers
- Front & rear electric windows (one touch with anti-pinch)
- Electric park brake
- Height & reach adjustable steering wheel
- Height adjustable driver and passenger seat
- Electrically adjustable door mirrors
- Electrically folding door mirrors
- 3 individual seats in row 2 (sliding & reclining function)
- Two air vents in row 2 with independent ventilation controls
- 12v socket in row 2 & 3
- Underfloor storage in row 2
- Quick flat-folding function on all rear seats
- Kangaroo pockets in back of front seats
- Leather-stitched steering wheel
- Capless fuelling

#### FEEL EXCLUSIVE. EQUIPPED TO INSPIRE.

CITROËN C4 SPACETOURER & GRAND C4 SPACETOURER FEEL EXCLUSIVE SPECIFICATION IN ADDITION TO TOUCH EDITION IN-CLUDES:

#### **Exterior Style**

- 17" alloy wheels
- 3D LED rear lights
- Fog lights with cornering function

#### In-Car Entertainment

- 12" Panoramic HD central display
- Citroën Connect Nav (Satellite Navigation)
- LED instrument cluster

#### Safety and Security

- Reversing Camera
- Front parking sensors

#### **Comfort and Convenience**

- Slate grey half leather with black Ondulice cloth with Hype Grey ambiance on rows 1 & 2
- Cloth/'Leather-look' seat upholstery on row 3
- Power tailgate
- Individual front armrests (driver & passenger)
- Massage function front seats
- Electric lumbar support on front seats
- Aviation trays
- Flat loading space in rear
- Underfloor storage
- Folding passenger seat
- Storage drawer under driver's seat
- Roof rails
- Kids' Pack Rear seat conversation mirror, Integrated rear side window sun blinds




# **EQUIPMENT**SPECIFICATION

To make choosing straightforward and enjoyable, we've worked hard to ensure that the information in this brochure is accurate at the time it was created in December 2018. It's important to remember that Citroën can introduce changes to the equipment and accessories featured, although these wouldn't alter the essential character and design of the models. Naturally the images and specifications are also dependent on trim level and any options included.

We know how important it is to present the right facts and figures, so our brochures are regularly updated, however it is important that you consult your dealer when ordering your vehicle to ensure you are advised of the latest specifications and equipment.



Panoramic windscreen - Standard across the range





Three ISOFIX mounting points with top tether on all seats in row 2 - Standard across the range



Slate grey half leather with black Ondulice cloth with Hype Grey ambiance – Standard on Feel Exclusive.

	Touch Edition	Feel Exclusive
SAFETY & SECURITY (CONTINUED)		
Unfastened seatbelt visual warning system on all seats plus audible warning for driver/front passenger (with presence detection for front passenger)	•	•
Front inertia reel seatbelt with pre-tensioners and force-limiters	•	•
Five 3-point inertia reel seat belts	•	•
Three ISOFIX mounting points with top tether on all rear seats	•	•
Remote central locking with deadlocks	•	•
Immobiliser	•	•
Alarm	•	•
Programmable cruise control with speed limiter	•	•
Blind spot monitoring system (with LED alert on door mirrors)		O <sup>3</sup>
Active blind spot monitoring system		o <sup>3</sup>
Active lane departure warning system		O <sup>3</sup>
Active radar guided cruise control (with collision alert)		O <sup>3</sup>
Coffee break alert	•	•
Driver attention alert		o <sup>3</sup>

	₽ B	щű
Speed limit recognition system		O <sup>3</sup>
LIGHTING & VISIBILITY		
Panoramic windscreen (with sliding interior sun blinds)	•	•
Halogen twin-optic headlights	•	•
Automatic lights & windscreen wipers	•	•
Intelligent beam headlights		o <sup>3</sup>
LED daytime running lights	•	•
3D LED rear lights		•
Front fog lights	•	•
Front fog lights with cornering function		•
Kerb lighting (puddle lights in door mirrors)	•	•
Auto-dimming electro-chrome rear view mirror		O <sup>3</sup>
Child observation mirror	o <sup>3</sup>	•
Front & rear reading lights	•	•
Dimmable interior mood lighting		O <sup>3</sup>

#### Standard equipment •

Optional factory fitted equipment O

Option availability varies according to version/engine/trim level.

Some options are only available as part of a pack. Please refer to the options page for further information.


<sup>1</sup> Grand C4 SpaceTourer only. <sup>2</sup> C4 SpaceTourer only. <sup>3</sup> Part of a pack. <sup>4</sup> Excludes EAT6 auto versions. <sup>5</sup> Manual versions only. <sup>6</sup>EAT6 Auto versions only.



Privacy Glass (from B-pillar backwards) – Standard across the



Android Auto & Apple Carplay – Standard across the range



	Touch Edition	Feel Exclusive
STYLE		
INTERIOR		
Black dashboard trim & air vent surrounds	•	•
Two tone soft-touch upper dashboard	•	•
COMFORT & CONVENIENCE		
Automatic dual zone air conditioning	•	•
Air vents for rear seat passengers	•	•
Fan speed adjustment for rear seat passenger air vents	•	•
Height & reach adjustable leather steering wheel with 2 control zones	•	•
Front & rear electric windows with anti pinch and one touch operation	•	•
Rear parking sensors	•	•



Power tailgate - Standard on Feel Exclusive



12" Panoramic HD central display – Standard on Feel

SCAN THE QR CODE TO SEE THE HANDS-FREE ACCESS IN ACTION



MORE ABOUT

	Touch Edition	Feel Exclusive
DRIVER INFORMATION		

		COMFORT & CONVENIENCE (CONTINUED)
•		Front parking sensors
•		Reversing camera (displayed on 12" HD screen where fitted)
•		Power tailgate
0		Keyless entry & starting
•	•	Total closure mode (closes all windows when 'lock' button is held down)
•	•	Find my car' feature (illumination of interior lights and flashing of hazard warning lights)
•		Fold-down aircraft style tray tables (integrated behind front seats)
•		Integrated retractable rear side window sun blinds <sup>5</sup>
•	•	12 volt accessory power socket in central storage compartment
•	•	Additional 12 volt sockets in row 2 & boot

	μй	டீ மி
DRIVER INFORMATION		
7" Touch Drive interface (used to control all primary vehicle functions)	•	•
LCD central display (black and white) – Primary driving information (speed, revs, fuel level, water temperature, gear info, driving aids), Secondary driving information (time/date, heating and ventilation status, external temperature, current fuel consumption, average fuel consumption, distance covered, average speed, range on remaining fuel)	•	
12" Panoramic HD central display (full colour) – Primary driving information (speed, revs, fuel level, water temperature, gear info, driving aids), dynamic display area for additional user-selectable information (secondary driving information, Sat Nav guidance, driving aids, photo display etc.), 3 selectable themes to alter the presentation & colour palette of the display		•
GEI (Gear Efficiency Indicator)	•4	•4
Service indicator	•	•
'Black panel' on/off instrument lighting	•	•

<sup>6</sup> Excludes EAT6 auto versions.

EQUIPMENT SPECIFICATION 7



Aviation trays on back of front seats - Standard on Feel



	<u> </u>	
		SEATING
•	•	Tilt & Height-adjustable driver's seat
•	•	Height-adjustable front passenger's seat
•		Front passenger's seat: flat folding (enables loading up to 2.5m)
•		Front passenger's seat: Relax function (electric footrest, massage plus extra-support head rest)
•	•	Driver's & front passenger's seats: adjustable armrests
•	•	3 separate full size rear seats with adjustable recline angle
•	•	Three retractable rear head restraints
		STORAGE
•	•	Illuminated (and switchable) central storage compartment (housing aux in, USB and 12 volt connections)
•	•	Ventilated and illuminated glovebox
•	•	Cup holders
●5	●5	Fixed centre storage box with sliding lid (between front seats)
●6	• <sup>6</sup>	Removable centre storage box with sliding lid (between front seats)



Rear underfloor storage (row 2) – Standard across the range

	₽ 🖫	щщ
STORAGE (CONTINUED)		
Storage under driver's seat		•
Front door pockets with bottle holder	•	•
Front seat back pockets	•	•
Rear underfloor storage (row 2)	•	•
Rigid load cover (parcel shelf)	•	•
Tie-down points in the boot	•	•
IN-CAR ENTERTAINMENT		

7 inch Touch Drive interface •

Steering wheel mounted controls • Citroën Connect Nav

Android Auto & Apple CarPlay™

DAB digital radio

RDS radio with 6 speakers & AUX socket •

Bluetooth® handsfree & media streaming with USB socket

Mirror Screen - with Mirror Link® and CarPlay™ and Android Auto

# **OPTIONS**

THERE IS SPACE TO GET CREATIVE HERE.

Metallic Paint	0	0
Black Roof (C4 SpaceTourer Only)		O <sup>1</sup>
Hands-Free Opening Tailgate		0
Keyless entry and start		0
Panoramic Sunroof (brings Air conditioning in row 3 (vents in ceiling console)		0
Park Assist, Blindspot detection		0
Touch Edition Convenience Pack (7 seater) Navigation system, Keyless entry and start, Child observation mirror, Integrated retractable rear side window sun blinds	0	
Kids Pack Rear seat conversation mirror, Integrated rear side window sun blinds	0	
Style Pack 17'' Anaconda alloy wheels, Panoramic sunroof	0	
Safety Pack Active Safety Brake with Forward Collision warning, Speed limit recognition system, Driver attention alert system, Electrochrome rear view mirror		0
Safety Pack Plus Active Safety Brake with Forward Collision warning, Speed limit recognition system, Driver attention alert system, Electrochrome rear view mirror, High Beam Assist, Lane departure warning system		0
Safety and Drive Assist Pack Active radar guide cruise control with braking, Active Safety Brake, Lane Departure Warning System, Speed Limit recognition System, Electrochrome Interior mirror, High Beam Assist, Drive attention alert		0
'Claudia' Nappa Leather seats Brings: Electric front seats, Heated Front seats, Electric foot rest (Front Passenger seat)		0
Xenon Lights		0
Techno Pack: Keyless Access, Xenon Lights, Safety Pack:		

Active Safety Brake with Forward Collision warning,

Speed limit recognition system, Driver attention alert system,





Electrochrome rear view mirror



## TECHNICAL SPECIFICATION C4 SPACETOURER

ENGINE	PureTech 130 S&S 6-speed manual	PureTech 130 S&S EAT8 auto
Capacity (cc)	1199	1199
Cylinders	3	3
Max power CEE (kW/rpm)	96/5500	96/5500
Max torque CEE (Nm/rpm)	300/1750	300/1750
Fuel system	Multi-point electr	onic fuel injection
Euro status	Euro 6.2	Euro 6.2
TRANSMISSION	Six speed manual	Eight speed automatic
PERFORMANCE (All figures driver alone)		
Max speed (mph)	124	124
0-62mph (secs)	9.6	TBC
Standing 1000m (secs)	31.0	TBC
ECONOMY¹ Litres/100km (mpg) (Official Government test fuel consumption figures)		
Combined	TBC	TBC
CO <sub>2</sub> EMISSIONS <sup>1</sup> (g/km)	TBC	TBC
WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded		
Kerb Weight	1320	1320
Mass in service	1464	1464
Max laden weight	1875	1910
TOWING (kg)		
Max braked/unbraked	1500/695	1400/695
Max towball load	70	70
Max roof rack load	70	70
BRAKES Front/Rear	Front and rear discs	Front and rear discs
STEERING	Variable assis	stance electric steering
Turning circle between kerbs (m)	10.4	10.4
Number of turns lock to lock	3.1	3.1
FUEL TANK CAPACITY Litres (gallons)	55 (12.1)	55 (12.1)
EXTERIOR DIMENSIONS (mm)		
Length	4438	4438
Width (inc. mirrors)	1826 (1971/2117)	1826 (1971/2117)
Height	1610/1625	1610/1625
Wheelbase	2785	2785
BOOT VOLUMES (Litres VDA)		
Seats up slid forward - below parcel shelf	630	630
Seats up slid back - below parcel shelf	537	537
Max with seats folded	1851	1851

Capacity (cc)         1199         1199           Cylinders         3         3           Max power CEE (kW/rpm)         96/5500         96/5500           Max torque CEE (kW/rpm)         300/1750         300/1750           Fuel system         Multi-point electronic fuel injection           Euro status         Euro 6.2         Euro 6.2           TRANSMISSION         Six speed manual         Eight speed automatic           PERFORMANCE (All figures driver alone)         Person of 2         Eight speed automatic           Max speed (mph)         124         124         124           0-62mph (secs)         9.6         TBC         TBC         TBC           Standing 1000m (secs)         31.0         TBC         TBC </th <th>ENGINE</th> <th>6-speed manual</th> <th>EAT8 auto</th>	ENGINE	6-speed manual	EAT8 auto
Max power CEE (kW/rpm)         96/5500         96/5500           Max torque CEE (Nm/rpm)         300/1750         300/1750           Fuel system         Multi-point electronic fuel injection           Euro 6.2         Euro 6.2         Euro 6.2           TRANSMISSION         Six speed manual         Eight speed automatic           PERFORMANCE (All figures driver alone)         PERFORMANCE (All figures driver alone)         Eight speed automatic           Max speed (mph)         124         124           0-62mph (secs)         9.6         TBC           Standing 1000m (secs)         31.0         TBC           ECONOMY'L Litres/100km (mpg) (Official Government test fuel consumption figures)         Combined         TBC           CO2 EMISSIONS' (g/km)         TBC         TBC           WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded         1820         1320           Kerb Weight         1320         1320           Mass in service         1464         1464           Max laden weight         1875         1910           TOWING (kg)         190         70           Max towball load         70         70           Max towball load         70         70           BRAKES Front/Rear         Front and	Capacity (cc)	1199	1199
Max torque CEE (Nm/rpm)         300/1750         300/1750           Fuel system         Multi-point electronic fuel injection           Euro status         Euro 6.2         Euro 6.2           TRANSMISSION         Six speed manual         Eight speed automatic           PERFORMANCE (All figures driver alone)         PARS speed (mph)         124         124           0-62mph (secs)         9.6         TBC         TBC           Standing 1000m (secs)         31.0         TBC         TBC           ECONOMY* Litres/100km (mpg) (Official Government test fuel consumption figures)         Combined         TBC         TBC           CO2 EMISSIONS* (g/km)         TBC         TBC         TBC           WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded         1320         1320           Mass in service         1464         1464         1464           Max laden weight         1875         1910           TOWING (kg)         Max towball load         70         70           Max towball load         70         70         70           Max towball load         70         70         70           BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING         10.4 <td< td=""><td>Cylinders</td><td>3</td><td>3</td></td<>	Cylinders	3	3
Fuel system  Euro status  Euro 6.2  Euro 6.2  Euro 6.2  Euro 6.2  Euro 6.2  FRANSMISSION  Six speed manual  Eight speed automatic  PERFORMANCE (All figures driver alone)  Max speed (mph)  124  124  0-62mph (secs)  9.6  TBC  Standing 1000m (secs)  ECONOMY¹ Litres/100km (mpg)  (Official Government test fuel consumption figures)  Combined  TBC  TBC  TBC  WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded  Kerb Weight  Max alean weight  1320  1320  Max in service  1464  1464  Max laden weight  TOWING (kg)  Max towball load  70  70  BRAKES Front/Rear  Front and rear discs  Front and rear discs  STEERING  TURING icrole between kerbs (m)  Number of turns lock to lock  3.1  3.1  FUEL TANK CAPACITY Litres (gallons)  EXTERIOR DIMENSIONS (mm)  Length  4438  4438  Width (inc. mirrors)  Height  1610/1625  1610/1625  Wheelbase  BOOT VOLUMES (Litres VDA)  Seats up slid back - below parcel shelf  537  537	Max power CEE (kW/rpm)	96/5500	96/5500
Euro 6.2 Euro 6.2  TRANSMISSION  Six speed manual  PERFORMANCE [All figures driver alone]  Max speed (mph)  0-62mph (secs)  Standing 1000m (secs)  ECONOMY* Litres/100km (mpg) (Official Government test fuel consumption figures)  Combined  TBC  TBC  TBC  TBC  WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded  Kerb Weight  Max laden weight  TOWING (kg)  Max towball load  70  70  Max roof rack load  TO 70  BRAKES Front/Rear  STEERING  TUrning circle between kerbs (m)  Number of turns lock to lock  TURE TANK CAPACITY Litres (gallons)  EXTERIOR DIMENSIONS (Intro)  1826 (1971/2117)  Height  Mac lader weight  1826 (1971/2117)  Height  Max Bass up slid forward - below parcel shelf  630  630  Seats up slid back - below parcel shelf  537  537	Max torque CEE (Nm/rpm)	300/1750	300/1750
TRANSMISSION  PERFORMANCE (All figures driver alone)  Max speed (mph)  124  124  0-62mph (secs)  9.6  TBC  Standing 1000m (secs)  ECONOMY¹ Litres/100km (mpg) (Official Government test fuel consumption figures)  Combined  TBC  TBC  TBC  TBC  WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded  Kerb Weight  1320  Mass in service  1464  Max laden weight  TOWING (kg)  Max braked/unbraked  1500/695  Max towball load  70  70  Max roof rack load  TO  TO  TON  TOURING (service leverner testing  Turning circle between kerbs (m)  Number of turns lock to lock  3.1  3.1  FUEL TANK CAPACITY Litres (gallons)  EXTERIOR DIMENSIONS (mm)  Length  Width (inc. mirrors)  1826 (1971/2117)  Height  1610/1625  1610/1625  Wheelbase  BOOT VOLUMES (Litres VDA)  Seats up slid book - below parcel shelf  Satur Silver alone)  124  124  124  124  124  124  124  12	Fuel system	Multi-point electr	onic fuel injection
PERFORMANCE (All figures driver alone)         124         124           Max speed (mph)         124         124           0-62mph (secs)         9.6         TBC           Standing 1000m (secs)         31.0         TBC           ECONOMY* Litres/100km (mpg)         Official Government test fuel consumption figures)           Combined         TBC         TBC           Cope MISSIONS* (g/km)         TBC         TBC           WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded         1464         1464           Kerb Weight         1320         1320           Mass in service         1464         1464           Max laden weight         1875         1910           TOWING (kg)         1500/695         1400/695           Max towball load         70         70           Max roof rack load         70         70           BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING         Variable assistance electric power steering           Turning circle between kerbs (m)         10.4         10.4           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)	Euro status	Euro 6.2	Euro 6.2
Max speed (mph)         124         124           0-62mph (secs)         9.6         TBC           Standing 1000m (secs)         31.0         TBC           ECONOMY* Litres/100km (mpg)         (Official Government test fuel consumption figures)           Combined         TBC         TBC           Combined         TBC         TBC           TBC         TBC           WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded           Kerb Weight         1320         1320           Mass in service         1464         1464           Max laden weight         1875         1910           TOWING (kg)           Max towball load         70         70           Max roof rack load         70         70           BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING           Turning circle between kerbs (m)         10.4         10.4           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         1826 (1971/2117)         1826 (1971/2117)         1826 (1971/2117)           Heig	TRANSMISSION	Six speed manual	Eight speed automatic
O-62mph (secs)   9.6   TBC	PERFORMANCE (All figures driver alone)		
Standing 1000m (secs)   31.0   TBC	Max speed (mph)	124	124
ECONOMY¹ Litres/100km (mpg)	0-62mph (secs)	9.6	TBC
Combined	Standing 1000m (secs)	31.0	TBC
CO2 EMISSIONS¹ (g/km)         TBC         TBC           WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded         1320         1320           Kerb Weight         1320         1320           Mass in service         1464         1464           Max laden weight         1875         1910           TOWING (kg)         1500/695         1400/695           Max braked/unbraked         1500/695         1400/695           Max towball load         70         70           Max roof rack load         70         70           BRAKES Front/Rear         Front and rear discs           STEERING           Turning circle between kerbs (m)         10.4         10.4           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         4438         4438           Width (inc. mirrors)         1826 (1971/2117)         1826 (1971/2117)           Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         Seats up slid forward - below parcel shelf         630         630 <th< td=""><td></td><td></td><td></td></th<>			
WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded         1320         1320           Kerb Weight         1320         1320           Mass in service         1464         1464           Max laden weight         1875         1910           TOWING (kg)         Max braked/unbraked         1500/695         1400/695           Max towball load         70         70           Max roof rack load         70         70           BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING         Variable assistance electric power steering           Turning circle between kerbs (m)         10.4         10.4           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         Length         4438         4438           Width (inc. mirrors)         1826 (1971/2117)         1826 (1971/2117)           Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         Seats up slid forward - below parcel shelf         630         630           Seats up slid back - below parcel shelf	Combined	TBC	TBC
Plated weights must not be exceeded	CO <sub>2</sub> EMISSIONS <sup>1</sup> (g/km)	TBC	TBC
Mass in service         1464         1464           Max laden weight         1875         1910           TOWING (kg)         1500/695         1400/695           Max braked/unbraked         1500/695         1400/695           Max towball load         70         70           Max roof rack load         70         70           BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING         Variable assistance electric power steering           Turning circle between kerbs (m)         10.4         10.4           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         4438         4438           Width (inc. mirrors)         1826 (1971/2117)         1826 (1971/2117)           Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         537         537           Seats up slid back - below parcel shelf         630         630           Seats up slid back - below parcel shelf         537         537	. 3.		
Max laden weight         1875         1910           TOWING (kg)         1500/695         1400/695           Max braked/unbraked         1500/695         1400/695           Max towball load         70         70           Max roof rack load         70         70           BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING         Variable assistance electric power steering           Turning circle between kerbs (m)         10.4         10.4           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         4438         4438           Width (inc. mirrors)         1826 (1971/2117)         1826 (1971/2117)           Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         Seats up slid forward - below parcel shelf         630         630           Seats up slid back - below parcel shelf         537         537	Kerb Weight	1320	1320
TOWING (kg)  Max braked/unbraked  1500/695  1400/695  Max towball load  70  70  Max roof rack load  70  Ton  BRAKES Front/Rear  Front and rear discs  Teering  Turning circle between kerbs (m)  Turning circle between kerbs (m)  Number of turns lock to lock  3.1  FUEL TANK CAPACITY Litres (gallons)  EXTERIOR DIMENSIONS (mm)  Length  4438  Width (inc. mirrors)  1826 (1971/2117)  Height  1610/1625  Wheelbase  2785  BOOT VOLUMES (Litres VDA)  Seats up slid forward - below parcel shelf  537  537	Mass in service	1464	1464
Max braked/unbraked         1500/695         1400/695           Max towball load         70         70           Max roof rack load         70         70           BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING           Use of turns lock to lock         3.1         3.1           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         4438         4438           Width (inc. mirrors)         1826 (1971/2117)         1826 (1971/2117)           Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         Seats up slid forward - below parcel shelf         630         630           Seats up slid back - below parcel shelf         537         537	Max laden weight	1875	1910
Max rowball load         70         70           Max roof rack load         70         70           BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING         Variable assistance electric power steering           Turning circle between kerbs (m)         10.4         10.4           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         4438         4438           Width (inc. mirrors)         1826 (1971/2117)         1826 (1971/2117)           Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         Seats up slid forward - below parcel shelf         630         630           Seats up slid back - below parcel shelf         537         537	TOWING (kg)		
Max roof rack load         70         70           BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING         Variable assistance electric power steering           Turning circle between kerbs (m)         10.4         10.4           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         4438         4438           Width (inc. mirrors)         1826 (1971/2117)         1826 (1971/2117)           Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         537         537           Seats up slid back - below parcel shelf         630         630           Seats up slid back - below parcel shelf         537         537	Max braked/unbraked	1500/695	1400/695
BRAKES Front/Rear         Front and rear discs         Front and rear discs           STEERING         Variable assistance electric power steering           Turning circle between kerbs (m)         10.4         10.4           Number of turns lock to lock         3.1         3.1           FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         4438         4438           Width (inc. mirrors)         1826 (1971/2117)         1826 (1971/2117)           Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         Seats up slid forward - below parcel shelf         630         630           Seats up slid back - below parcel shelf         537         537	Max towball load	70	70
Variable assistance electric power steering   10.4   10.4     Number of turns lock to lock   3.1   3.1     FUEL TANK CAPACITY Litres (gallons)   55 (12.1)   55 (12.1)     EXTERIOR DIMENSIONS (mm)	Max roof rack load	70	70
Turning circle between kerbs (m) 10.4 10.4  Number of turns lock to lock 3.1 3.1  FUEL TANK CAPACITY Litres (gallons) 55 (12.1) 55 (12.1)  EXTERIOR DIMENSIONS (mm)  Length 4438 4438  Width (inc. mirrors) 1826 (1971/2117) 1826 (1971/2117)  Height 1610/1625 1610/1625  Wheelbase 2785 2785  BOOT VOLUMES (Litres VDA)  Seats up slid forward - below parcel shelf 630 630  Seats up slid back - below parcel shelf 537 537	BRAKES Front/Rear	Front and rear discs	Front and rear discs
Number of turns lock to lock  3.1  3.1  FUEL TANK CAPACITY Litres (gallons)  EXTERIOR DIMENSIONS (mm)  Length  4438  Width (inc. mirrors)  1826 (1971/2117)  Height  1610/1625  Wheelbase  2785  BOOT VOLUMES (Litres VDA)  Seats up slid forward - below parcel shelf  Seats up slid back - below parcel shelf  537  537	STEERING		
FUEL TANK CAPACITY Litres (gallons)         55 (12.1)         55 (12.1)           EXTERIOR DIMENSIONS (mm)         4438         4438           Length         4438         1826 (1971/2117)         1826 (1971/2117)           Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         500         630           Seats up slid forward - below parcel shelf         537         537	Turning circle between kerbs (m)	10.4	10.4
EXTERIOR DIMENSIONS (mm)       4438       4438         Length       4438       4438         Width (inc. mirrors)       1826 (1971/2117)       1826 (1971/2117)         Height       1610/1625       1610/1625         Wheelbase       2785       2785         BOOT VOLUMES (Litres VDA)       500       630         Seats up slid forward - below parcel shelf       537       537	Number of turns lock to lock	3.1	3.1
Length       4438       4438         Width (inc. mirrors)       1826 (1971/2117)       1826 (1971/2117)         Height       1610/1625       1610/1625         Wheelbase       2785       2785         BOOT VOLUMES (Litres VDA)       5         Seats up slid forward - below parcel shelf       630       630         Seats up slid back - below parcel shelf       537       537	FUEL TANK CAPACITY Litres (gallons)	55 (12.1)	55 (12.1)
Width (inc. mirrors)       1826 (1971/2117)       1826 (1971/2117)         Height       1610/1625       1610/1625         Wheelbase       2785       2785         BOOT VOLUMES (Litres VDA)       Seats up slid forward - below parcel shelf       630       630         Seats up slid back - below parcel shelf       537       537	EXTERIOR DIMENSIONS (mm)		
Height         1610/1625         1610/1625           Wheelbase         2785         2785           BOOT VOLUMES (Litres VDA)         Seats up slid forward - below parcel shelf         630         630           Seats up slid back - below parcel shelf         537         537	Length	4438	4438
Wheelbase 2785 2785  BOOT VOLUMES (Litres VDA)  Seats up slid forward - below parcel shelf 630 630  Seats up slid back - below parcel shelf 537 537	Width (inc. mirrors)	1826 (1971/2117)	1826 (1971/2117)
BOOT VOLUMES (Litres VDA)  Seats up slid forward - below parcel shelf  Seats up slid back - below parcel shelf  537  537	Height	1610/1625	1610/1625
Seats up slid forward - below parcel shelf 630 630 Seats up slid back - below parcel shelf 537 537	Wheelbase	2785	2785
Seats up slid back - below parcel shelf 537 537	BOOT VOLUMES (Litres VDA)		
		630	630
Max with seats folded 1851 1851	Seats up slid back - below parcel shelf	537	537
	Max with seats folded	1851	1851

ENGINE	BlueHDi 130 S&S 6-speed manual	BlueHDi 130 S&S EAT8 auto	
Capacity (cc)	1499	1499	
Cylinders	4	4	
Max power CEE (kW/rpm)	96/3750	96/3750	
Max torque CEE (Nm/rpm)	300/1750	300/1750	
Fuel system	High pressure turbo-c	harged direct injection	
Euro status	Euro 6.2	Euro 6.2	
TRANSMISSION	Six speed manual	Eight speed automatic	
PERFORMANCE (All figures driver alone)			
Max speed (mph)	123	123	
0-62mph (secs)	10.4	9.8	
Standing 1000m (secs)	31.8	31.0	
ECONOMY¹ Litres/100km (mpg) Official Government test fuel consumption figures)			
Combined	5.2 (54.3)	TBC	
CO <sub>2</sub> EMISSIONS <sup>1</sup> (g/km)	137	TBC	
WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded			
Kerb Weight	1320	1406	
Mass in service	1497	1566	
Max laden weight	1945	1980	
TOWING (kg)			
Max braked/unbraked	1700/660	1600/740	
Max towball load	70	70	
Max roof rack load	70	70	
BRAKES Front/Rear	Front and	rear discs	
STEERING	Variable assis power s	stance electric steering	
Turning circle between kerbs (m)	10	0.4	
Number of turns lock to lock	3.1		
FUEL TANK CAPACITY Litres (gallons)	55 (1	12.1)	
EXTERIOR DIMENSIONS (mm)			
Length	4438		
Width (inc. mirrors)	1826 (1971/2117)		
Height	1610/1625		
Wheelbase	2785		
BOOT VOLUMES (Litres VDA)			
Seats up slid forward - below parcel shelf	630		
Seats up slid back - below parcel shelf	537		
Max with seats folded	1851		

# TECHNICAL SPECIFICATION GRAND C4 SPACETOURER

ENGINE	PureTech 130 S&S 6-speed manual	PureTech 130 S&S EAT8 auto
Capacity (cc)	1199	1199
Cylinders	3	3
Max power CEE (kW/rpm)	96/5500	96/5500
Max torque CEE (Nm/rpm)	300/1750	300/1750
Fuel system	Multi-point electronic fuel injection	
Euro status	Euro 6.2	Euro 6.2
TRANSMISSION	Six speed manual	Eight speed automatic
PERFORMANCE (All figures driver alone)		
Max speed (mph)	124	124
0-62mph (secs)	9.8	TBC
Standing 1000m (secs)	31.2	TBC
ECONOMY¹ Litres/100km (mpg) (Official Government test fuel consumption figures)		
Combined	TBC	TBC
CO <sub>2</sub> EMISSIONS <sup>1</sup> (g/km)	TBC	TBC
WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded		
Kerb Weight	1320	1399
Mass in service	1488	1564
Max laden weight	2095	2135
TOWING (kg)		
Max braked/unbraked	1400/695	1300/695
Max towball load	70	70
Max roof rack load	70	70
BRAKES Front/Rear	Front and rear discs	Front and rear discs
STEERING	Variable assistance electric power steering	
Turning circle between kerbs (m)	10.4	10.4
Number of turns lock to lock	3.1	3.1
<b>FUEL TANK CAPACITY</b> Litres (gallons)	55 (12.1)	55 (12.1)
EXTERIOR DIMENSIONS (mm)		
Length	4602	4602
Width (inc. mirrors)	1826 (1971/2117)	1826 (1971/2117)
Height	1638/1644	1638/1644
Wheelbase	2840	2840
BOOT VOLUMES (Litres VDA)		
All seats up <sup>2</sup>	165	165
With row 3 folded <sup>2</sup> row 2 slid back	632	632
With row 3 folded $^2$ row 2 slid forwards	793	793
Max. with rows 2 and 3 folded	2181	2181

<sup>1</sup> Figures shown are for comparison purposes only; you should only compare these fuel consumption and CO<sub>2</sub> figures with other cars tested using the same technical standard. The fuel consumption you achieve, and CO<sub>2</sub> produced, in real world conditions will depend upon a number of factors: including the accessories fitted (post registration), variations in weather, driving styles and vehicle load. There is a new test WLTP (Worldwide Harmonised Light Vehicles Test Procedure) used to measure fuel consumption and CO<sub>2</sub> figures. The CO<sub>2</sub> figures shown are NEDCeq (New European Driving Cycle Equivalent), calculated using an EC correlation tool which converts WLTP figures to NEDC. These NEDCeq figures are based on the outgoing test cycle and will be used to calculate tax for the first registration. CO<sub>2</sub> and fuel economy figures may vary according to wheel fitment and optional extras fitted.

2 Below load cover.

ENGINE	BlueHDi 130 S&S 6-speed manual	BlueHDi 130 S&S EAT8 auto	
Capacity (cc)	1499	1499	
Cylinders	4	4	
Max power CEE (kW/rpm)	96/3750	96/3750	
Max torque CEE (Nm/rpm)	300/1750	300/1750	
Fuel system	High pressure turbo-charged direct injection		
Euro status	Euro 6.2 Euro 6.2		
TRANSMISSION	Six speed manual	Eight speed automatic	
PERFORMANCE (All figures driver alone)			
Max speed (mph)	123	123	
0-62mph (secs)	10.9	10.0	
Standing 1000m (secs)	32.4	31.2	
ECONOMY¹ Litres/100km (mpg) (Official Government test fuel consumption figures)			
Combined	5.1 (55.4)	TBC	
CO <sub>2</sub> EMISSIONS <sup>1</sup> (g/km)	134	TBC	
WEIGHTS (kg) Please note: the maximum plated weights must not be exceeded			
Kerb Weight	1430	1430	
Mass in service	1606	1600	
Max laden weight	2190	2210	
TOWING (kg)			
Max braked/unbraked	1500/708	1500/750	
Max towball load	70	70	
Max roof rack load	70	70	
BRAKES Front/Rear	Front and rear discs		
STEERING	Variable assistance electric power steering		
Turning circle between kerbs (m)	10.4		
Number of turns lock to lock	3.1		
FUEL TANK CAPACITY Litres (gallons)	55 (1	12.1)	
EXTERIOR DIMENSIONS (mm)			
Length	4602		
Width (inc. mirrors)	1826 (1971/2117)		
Height	1638/1644		
Wheelbase	2840		
BOOT VOLUMES (Litres VDA)			
All seats up <sup>1</sup>	165		
With row 3 folded <sup>1</sup> row 2 slid back	632		
With row 3 folded <sup>1</sup> row 2 slid forwards	793		
Max. with rows 2 and 3 folded	2181		

# CITROËN & YOU

CARE FOR YOUR NEW CITROËN C4 SPACETOURER & GRAND C4 SPACETOURER AND IT WILL LOOK AFTER YOU – LIKE EVERY CITROËN IT'S PART OF LEGENDARY ENGINEERING HERITAGE WITH RELIABILITY BUILT

#### **CITROËN** WARRANTY

5 year Unlimited Mileage Warranty applies to new Citroën passenger cars registered in Ireland from 1 October 2017. What's more, all new Citroën passenger cars also benefit from a Paintwork Warranty for three years, as well as an Antiperforation Warranty for 12 years, giving you added peace of mind.

- \* 5 year warranty composed of:
- Citroën Manufacturer's warranty for 3 years or 100,000km
- Once the 3 year Citroën Manufacturer Warranty has expired the Local Extended Warranty is valid for a further 2 years.
- 5 year Unlimited mileage warranty does not apply to vehicles registered as PSVs/Taxis.

Should the mileage limitation of 100,000km on the Citroën Manufacturer Warranty be reached before 3 years, the Local Extended Warranty is then valid up to a total of 5 years unlimited mileage.

Therefore the total warranty that you are entitled to is 5 years unlimited

#### **CITROËN** ASSIST

Free Phone 1800 33 33 00
From outside Ireland call 00 353 1 63 43 030
In response to a free telephone call 1800
333300, Citroën Assistance brings rapid roadside assistance to you in the event of a breakdown. For new vehicles it comes free of charge for the first three years and operates 24 hours a day in Ireland and Europe.

Services include nationwide recovery for vehicle and passengers, a home call service and replacement vehicle for up to 4 days. For Citroën vehicles, cover includes manufacturing defects only. T&C's apply.

#### **CITROËN** FINANCE

Depending on whether you are a private or business customer, there are a range of different finance options available to you to help you purchase or lease a brand new Citroën.

For further information, please contact your Citroën Dealer.





Please don't throw me away, give me to a friend or recycle me.

This brochure is made from paper from a well-managed forest. Citroën support responsible use of forest resources.

NOTE: Images and specification descriptions are dependent on trim level and options specified. Every endeavour has been made to ensure that the information and details contained in this brochure were accurate at the time of going to press December 2018. However the company reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details, equipment or accessories. Every effort will be made to bring this brochure up to date, but in order to avoid any misunderstandings please consult your Dealer. The Citroën Website contains full information on all Citroën products and offers available in the Republic of Ireland, together with details of our environmental and recycling policies. The site address is: www.citroen.ie



