



www.myldv.co.uk







LOW ROOF SWB

Length 4950 mm Height 2132 mm Width 1998 mm Wheel-Base 3100 mm Cubic Capacity M³ 6.40 Turning Circle 12400 mm









MED ROOF LWB

Length 5700 mm Height 2345 mm Width 1998 mm Wheel-Base 3850 mm Cubic Capacity M³ 10.40 Turning Circle 14800 mm









HIGH ROOF LWB

Length 5700 mm Height 2552 mm Width 1998 mm Wheel-Base 3850 mm Cubic Capacity M³ 11.60 Turning Circle 14800 mm













Blanc White



Lava Ash (Gray)



Aurora Argent (Silver)



Obsidian Black



Jewelry Blue



Jingdong Red



Olive Brown

ENGINE

VM Motori Eco-D2.5L turbo diesel engine with:

Bosch electronically controlled common rail direct fuel injection system
Turbocharger with intercooler
Aluminium cylinder head
Cast iron block with cylinder wet liners
Polymer skirted pistons
Exhaust gas recirculation (EGR)
4 Cylinders (16 valves)
9.20 x 9.40mm (bore x stroke)

2499cc total displacement 100kW @ 3800rpm (136 PS) 17.5:1 compression ratio

Euro 6 Emissions

BRAKES & TYRES	
215/70R16C tyres	1
16" steel wheels	✓
Ventilated front disc brakes, 294mm with twin piston calliper	✓
Solid rear disc brakes, 304mm with single piston calliper, internal drum and shoe handbrake	✓

SAFETY FEATURES	
Anti-skid braking system (ABS)	✓
Electronic brake force distribution (EBD)	✓
Brake assist system (BAS)	✓
Driver and passenger airbags	√
Side impact protect system (SIPS)	✓
Remote central locking	✓
Reverse parking sensors (Four)	✓
Electronic stability programme (ESP)	✓
Selective catalytic reduction (SCR)	√

And the second s	_
STEERING & HANDLING	
Hydraulic power assisted rack &	1
pinion steering	
MIRA tuned suspension and	/
steering	•
Macpherson struts (front)	√
Taper leaf springs with gas filled	1
shock absorbers (rear)	•

INTERIOR FEATURES	
Air conditioning (front)	√
Cruise control	√
Power windows (front)	✓
FM/ AM/ MP3 Player & Bluetooth	✓
Three seater cabin	✓
Driver's seat with arm rest	✓
8 way adjustable driver's seat	√
Dual bench seat with head rests	✓
Driver and passenger deep door storage and over head storage	✓
Integrated cup holders	√
10" Touch Screen	√
Phone Mirror	✓
Apple Car Play	√
Reverse Camera	✓
Android Auto	✓
Multi-function steering wheel	√

PAINT COLOURS*	
Lava Ash Gray (metallic option)	√
Blanc White	✓
Olive Brown (metallic option)	1
Jewelry Blue	1
Aurora Argent (Silver)	1
Jingdong Red	✓
Obsidian Black	1

EXTERNAL FEATURES	
Electric and heated side mirrors	✓
with integrated turn signals	
Single sliding doors with rear	1
barn door opening up to 255° **	
Daytime running lights	√

CARGO AREA	
Low cargo floor height	\
Non slip entry steps	\
Recessed tie down points	√
Easy Clean Non Slip Cargo Mat	1
Cargo area illumination	1

DIMENSIONS	Low Roof	Med Roof	High Roof	
Length (mm)	4950	5700	5700	
Width (mm)	1998	1998	1998	
Height (mm)	2132	2345	2552	
Wheel-base (mm)	3100	3850	3850	
Turning radius (mm)	12400	14800	14800	
Cargo area length (mm)	2550	3300	3300	
Cargo area width (mm)	1770	1770	1770	
Cargo area height (mm)	1505	1710	1925	
Wheel-arch width (mm)	1380	1380	1380	
Rear door opening width (mm)	1550	1550	1550	
Rear door opening height (mm)	1360	1580	1790	
Side door opening width (mm)	1100	1290	1290	
Side door opening height (mm)	1380	1590	1590	
Gross vehicle mass (kg)	3200	3500	3500	
Front axle capacity (kg)	1497	1766	1766	
Rear axle capacity (kg)	1892	1900	1900	
Payload (kg)	1204	1419	1389	
Tare weight (kg)	1996	2081	2111	
Unbraked towing capacity (kg)	750	750	750	
Braked trailer towing capacity	1200	1200	1200	
Optional Towing Pack (kg)	2000	2000	2000	
Cargo volume (cubic metres)	6.4	10.4	11.6	



*LDV use Eco Friendly Water Soluble Paints

** LWB Models





LUTON / BOX • CURTAINSIDE BODIES • DROPSIDE BODIES • COLUMN TAIL LIFTS ROOF DEFLECTOR • FLUSH DOORS • BARN DOORS







Luton - Box Body



Column Tail Lifts



Dropside



Tipper



Luton - Full Closure

VEHICLE TYPE	BODY TYPE	WHEELBASE MM.	CAB STYLE	CHASSIS LENGTH (REAR OVERHANG) MM.	BODY LENGTH : EXTERNAL (INTERNAL) MM.	BODY WIDTH: EXTERNAL (INTERNAL) MM.	CONVERTED VEHICLE KERB WEIGHT (MINIMUM KG SPEC)	CALCULAED PAYLOAD (MINIMUM KG SPEC) ***
LDV V80 Chassis Cab	Dropside	3850	Single	Standard	3660 (3600) *	2090 (2030)	2005kg	1495kg
LDV V80 Chassis Cab	Dropside	3850	Single	Standard	3325 (3280) **	2090 (2030)	1975kg	1525kg
LDV V80 Chassis Cab	Dropside	3850	Single	Extended (675mm)	4000 (3890)	2090 (2030)	TBC	TBC
LDV V80 Chassis Cab	Tipper	3850	Single	Standard	3350 (3275)	2100 (2040)	2250kg	1250kg
LDV V80 Chassis Cab	Luton Van	3850	Single	Extended (675mm)	4000 (3890)	2165 (2100)	2375kg	1125kg

^{*} for vehicles less Tail-lift and Towbar ** for vehicles with either Tail-lift or Towbar (not both) ***(minimum spec) is LESS and optional content including Tail-lift

BODY TYPE	LUTON	LUTON & T-LIFT	DROPSIDE	CURTAIN	TIPPER	TRAFFIC MANAGEMENT
Gross Vehicle Weight (GVW)	3.5 tonne GVW	3.5 tonne GVW	3.5 tonne GVW	3.5 tonne GVW	3.5 tonne GVW	3.5 tonne GVW
Body Length (External)	13' 8" (4200mm)	13' 8" (4200mm)	13' 8" (4200mm)	13' 8" (4200mm)	10'6" (3200mm)	13' 8" (4200mm)
Body Width (External)	6' 10" (2085mm)	6' 10" (2085mm)	6' 10" (2085mm)	6' 10" (2085mm)	6'10" (2085mm)	6' 10" (2085mm)
Body Height (External)	7' 10" (2390mm)	7' 10" (2390mm)	16" (400mm)	1965mm - Side Aperture Height	16" (400mm)	7' 10" (2390mm)
Rear Closure	Narrow Lath Shutter	Narrow Lath Shutter	Single Alloy Dropside	Narrow Lath Shutter	Alloy Board	Hand Rails / Rear Bulkhead
Floor Type	15mm Phenolic Board	15mm Phenolic Board	15mm Phenolic Board	15mm Phenolic Board	Steel Floor	15mm phenolic board.

Specification and weight may vary from body-builders. Subject to manufacture tolerances ±5%.

Luton / Box

2 rows of either load lock track or timber tie rail Kick Strip all round Non Slip Floor LED interior light wired & switched to rear of body.

Curtainside Bodies

Kick Strip to bulkhead.
V Groove Aluminium side rave with pull up hooks to every 1000mm

Dropside Bodies

Standard aluminium lightweight headboard (re-inforced and braced, no mesh).
For Heavy Duty Steel Headboard - add 75kg Single mill finish dropsides, rope hooks to every bearer.

Column Tail Lifts

DEL DL500G - 500kg Lift
Fit Free Issue Tail Lift:
815mm alloy platform, dual controls,
fixed leading edge
Split folding/mesh platform dropsides

Roof Deflector

Supply & fit 3D Cab Deflector

Flush Doors

Supply & fit to curtainside / Low Frame Luton / Standard Luton

Barn Doors

Supply & fit to curtainside /
Low Frame Luton / Standard Luton

LDV CHASSIS CAB

LDV V80 CHASSIS CAB	
ENGINE	
VM Motori Eco-D2.5L turbo diesel engine with:	✓
Bosch electronically controlled common rail direct fuel injection system	✓
Turbo charger with inter-cooler	✓
Aluminium cylinder head	✓
Cast iron block with cylinder wet liners	✓
Polymer skirted pistons	✓
Exhaust gas recirculation (EGR)	✓
4 Cylinders (16 valves)	✓
9.20×9.40 mm (bore x stroke)	✓
2499cc total displacement	✓
100kW @ 3800rpm (136 PS)	✓
330 Nm @ 1800 – 2600rpm	✓
17.5:1 compression ratio	✓
Euro 5b emissions	✓
Transmission Euro 5b	Six speed manual
Fuel Tank	80 litres
Fuel Consumption (combined L/100km as per ADR 81/02)	8.9
STEERING & HANDLING	
Hydraulic power assisted rack and pinion steering	✓
Mira suspension and steering tuning	✓
MacPherson struts (front)	✓
Taper leaf springs with gas filled shock absorbers (rear)	✓
16" alloy wheels	✓
BRAKES	
Ventilated front disc brakes, 294mm with twin piston calliper	✓
Solid rear disc brakes, 304mm with single piston caliper, internal drum and shoe handbrake	1

SAFETY FEATURES	
Anti skid brakes (ABS)	V
Electronic brake force distribution (EBD)	✓
Electronic stability programme (ESP)	✓
Brake assist system (BAS)	✓
Driver and passenger airbags	✓
Remote central locking	✓
LED parking lights	✓
DIMENSIONS & WEIGHTS	
Length (mm)	5620
Front overhang (mm)	854
Rear overhang (mm)	916
Width excluding mirrors (mm)	1996
Width including mirrors (mm)	2383
Height (mm)	2136
Ground clearance (mm)	200
Wheel-base (mm)	3850
Turning radius (m)	12.4
Gross vehicle mass (kg)	3500
Kerb weight (kg)	1775
Body & payload allowance (kg)	1725
Front axle capacity (kg)	1766
Rear axle capacity (kg)***	2150
Unbraked towing capacity (kg)**	750
Braked towing capacity (kg)**	1200
Gross Train Weight (kg) optional 5500kgs with towing pack	4200
MAXIMUM DIMENSIONS WITH BODY	
Maximum length (mm)	6409
Buildable cargo length (mm)	3890
Buildable overall width (mm)	2100

/	C+	
1	Standard	

TYRE SPEC			
Van	215/70 R16		
Chassis	215/75 R16		

WARRANTY & ROADSIDE ASSIST	
5 year/125,000Kms (whichever occurs first)	√
INTERIOR FEATURES	
Air conditioning (front)	✓
Cruise control	✓
Power windows (front)	✓
FM/AM/MP3 Player	✓
8 way adjustable driver's seat	✓
Dual bench seat with head rest	✓
Auto off headlights	✓
Driver's fold down arm rest	√
Three seats	✓
Driver and passenger deep door pockets	✓
EXTERIOR FEATURES	Y.
Power side mirrors with integrated turn signals	✓
Fog lights front and rear	✓

TAKE THE PRESSURE AND WAIT OUT OF BUYING. PRE-BODIED CHASSIS CAB AVAILABLE EX-STOCK.





Subject to Body Builder's specifications.

^{**} Not available on 4 meter Luton / Dropside

^{***} Rear Axle Upgrade









120 Mile Range



Combined Charging System Fully charged within 1.5 hours with 30kW DC Charger



Zero Emissions



High-power PMSM Power: 92kW,Torque: 320N·m



Connector Type CCS combo (IEC: 62196)

More energy-efficient, more powerful, cleaner, more environmentally-friendly: This is green power at its best with advanced technology placing it ahead of its time.



Interactive high-tech integrated dashboard system

Not only leading the trend with futuristic design, but also easy-to-read by displaying all data you need



The most advanced pure electric power system Large capacity 56kW lithium ion battery + permanent magnet synchronous motor + smart motor controller brings highly-efficient and stable power supply



Digital intelligent CVT

Intelligent Power Control System: automatically adjusts the torque and output power to the motor under different conditions



Electric Park Brake System

Convenient and reliable Extending the lifespan of parking components

EXTERNAL FEATURES

Electric and heated side mirrors with integrated turn signals Single sliding doors with rear barn door opening up to 255° Daytime running lights

CARGO AREA

Low cargo floor height Non slip entry steps Recessed tie down points Easy Clean, Non Slip Cargo Mat Cargo area illumination

INTERIOR FEATURES

Air conditioning (front) Power windows (front) FM/ AM/ MP3 Player Three seater cabin Driver's seat with arm-rest 8 way adjustable driver's seat Dual bench seat with head-rests Driver and passenger deep door storage and over head storage Intergrated cup holders

Vehicle Type		LWB Van	LWB Van	Chassis Cab	
		High Roof	Medium Roof	-:	
Dimension	Length	5700	5700	5620	
(mm)	Width	1998	1998	1996	
()	Height	2552	2345	2136	
W	heel Base(mm)		3850		
	Seats		3	_	
	GVW(kg)		3500 (Optio	on of 3916)	
	Towable Mass in The f Centre-axle Trailer	750			
Case o	Wheel	6jX16			
Ту	re Specification	6jXl6 215 /70R l6C			
-,	Payload(Kg)	910 950 –			
	Motor	Permanent Magn	et Synchronous Mo	tor, 92kW, 320Nr	
	NEDC(mi)	113	119		
Maxin	num Speed (mi)	AND THE SECOND SECOND	62		
	Battery Type	Li	thium Iron Phosph	ate	
	ry Capacity(kW h)		56		
	Time(DC, 30kW)(h)		1.5		
	Time(AC, 6.6kW)(h)		7		
	rgo Volume(m3)	11.6	10.4		
	Steering	Electric	cal hydraulic power	assisted	
Type of	Steering Transmission		Rack and Pinion		
24	Front Suspension	Macpher	son Strut with Anti	-Roll Bar	
Suspension	Rear Suspension	Rig	id Axle With Leaf S	oring	
	·	Hydraulic Dual C	Circuit System		
Brake	Front Brake				
	Rear Brake	Disc			
	Air Conditioning (Front)	S	s	S	
	Power Window (Front)	S	S	S	
	Radio+MP3+Bluetooth	S	S	S	
Interior	8-Direct Adjustable Driver Seat-Manual	S	S	S	
	Dual Seat	S	S	S	
	Driver Seat Armrest	S	S	S	
	10" Screen	0	0	0	
	Electric Outside Rearview Mirror	S	S	S	
Exterior	Dual Rear Door Opening Up to 255°	S	S	-	
	Single Slide Door	S	S	-	
	ESP (EBD+ABS+ TCS+VDC)	S	S	S	
	EPB	S	S	S	
	Hill Hold Control	S	S	S	
Safety	Brake Assist System(BAS)	S	S	S	
	Driver and Passenger Airbag	S	S		
	Reverse Parking Sensor	S	S	_	
	Remote Central Lock	S	S	S	
	Daytime Running Lights	S	S	S	

Please refer to the real vehicle. Special requirements available.





INTELLIGENCE CREATES FUTURE


100%

PURE ELECTRIC



VERSIONS	SHORT WHEELBASE-C1	LONG WHEELBASE-C1
Dimension (mm*mm*mm)	L4555 x W1780 x H1895	L5155 x W1780 x H1905
Wheel base (mm)	2910	3285
Cargo Volume (m³)	5	6.3
Rear end floor height (mm)	540	540
Slide door width (mm)	>700	>700
Rear opening height/width (mm)	H1330/W1300	H1330/W1300
Battery Capacity (kW h)	35 or 53	35 or 53
Electric motor output (Peak power /Peak torque)	85kW/250Nm	85kW/250Nm
Top speed (mi/h)	79	79
Max Grade ability	30%	25%
NEDC Mileage (mi)	127	121
Charging time	DC: 45min (5%-80%) AC:5h	DC: 45min (5%-80%) AC: 5h
CVW (kg)	1375	1475
Pay load (kg)	855	1000

















The exterior is aerodynamically designed, helping reduce wind resistance and vehicle weight using a large number of aluminium alloys and polymer composites. It provides high-voltage power-off protection through national collision regulations. The width of the compartment is 1706 mm. The cargo box is square and the loading and unloading are optimal. The short axis of the car can reach 5 cubic meters; the long axis can reach 6.3 cubic meters. Provides DC + AC dual charging mode DC mode:45 minutes can charge 80% of electricity, 80 minutes can be charged to 100% of electricity. 35kWh battery life up to 280km; 52.5kWh battery life up to 400km; fast charge mode charging 45 minutes up to 80% power. High power low energy motor. The maximum power is 70kW; the peak torque is 220Nm; the acceleration time of 0-50km/h is 5s; the maximum grade is 30%, which is tailored for urban conditions. It is equipped with SAIC Maxus self-developed intelligent interconnection system----Spider Zhilian, in addition to the network connection service, it also realises the data interconnection and intercommunication between enterprise management APP and WEB.

Roadside Assistance: LDV Assist

LDV Assist support teams are on-call and available 24 hours a day, 365 days a year, right across the UK and Ireland. LDV Motor Rescue will be there for you if ever you run into a problem on your journey. A complete LDV Motor Rescue information booklet is provided in every new LDV vehicle.

FLEXIBLE FINANCE

TAILOR-MADE FINANCE SOLUTIONS TO KEEP YOUR BUSINESS ON THE ROAD

LDV offers bespoke finance packages to suit your budget. Smaller up-front costs and manageable monthly repayments make your next vehicle even more accessible. Our flexible finance options include finance lease, which allows you to spread the VAT payments over the course of the agreement. At the end of the lease you have several options including continuing to use the vehicle by paying nominal rentals or part exchange for a new vehicle.

Warranty: LDV Peace of Mind

To give you even greater peace of mind, every new LDV vehicle sold through our dealer network comes with a comprehensive five-year warranty package*.

This means that if you encounter any problem during this period caused by a manufacturing fault, we'll sort it out free of charge. A complete warranty information booklet is provided in every new LDV vehicle.

*Five year warranty ~ 125,000 miles (Whichever comes first) 60,000 miles (Whichever comes first) - EV80 Range

Want to own the vehicle? We also offer hire purchase agreements where the contract length, deposit amount, and frequency of repayments can be tailored to suit your cash flow. You also have the option of a balloon rental which further reduces your monthly payments. To request a tailored finance quote, talk to your local LDV dealer today.







MANUFACTURER

SAIC, the name behind LDV, is the largest automotive company in China. Based in Shanghai, SAIC produces almost seven million vehicles each year for both domestic and international markets and is a Fortune Global 500 listed company with almost 200,000 employees.

The company has a number of well-known brands within its portfolio including, since 2010, the acclaimed LDV range of LCV's. By 2020, SAIC will have invested more than €2bn in LDV and investment into R&D circa \$7.5 Billion, with a strong focus on safety, innovation and the introduction of new products to the range, including a suite of EVs that are already setting the standard for the future of eco-fuelled commercial motoring.

DISTRIBUTOR


The Harris Group is known throughout the UK and Ireland as a leader in the commercial vehicle sector. One of Ireland's most respected and long-established automotive distributors, the Harris Group has developed an unrivalled reputation for service excellence, which comes from more than fifty years of experience.

Harris is the distributor for the LDV range of vehicles in the UK, Ireland, Channel Islands, Isle of Man, Malta and Cyprus. Following a high-profile re-launch of the LDV brand in 2016, Harris has developed and is continuing to build a strong dealer network across all right hand drive markets in Europe.

BRIGHT FUTURE

LDV is the name for high-quality vehicles that offer a range of options to suit every delivery need. And now, with a newly-launched series of light commercial electric vehicles from which to choose, with LDV you can future proof your fleet whilst relegating hefty congestion charges, road fund licence and carbon emissions to the past.

At LDV, innovation is our world. Our focus is firmly on the future and that future means state-of-the-art technology and an emphasis on alternative fuels such as EV, Hybrid and Hydrogen.



FIND US @ You Table O f to 12

LDV U.K. & Ireland www.myldv.co.uk



LDV Disclaimer:

Images shown in this brochure are for illustration purposes only. Actual vehicles may differ and are subject to change.

Specifications, standard equipment, options, fabrics and colours are subject to change without notice.

Some features may be unavailable when your vehicle is built. Some vehicles are pictured with options that may be available at extra cost or may not be available on certain models. Ask about availability of options and verify that the vehicle you ordered includes the equipment you ordered.

*5 year/125,000 mile warranty and 5 years roadside assistance. Terms and conditions apply.



TRUST

Trust is the foundation on which LDV's success has been built. Trust is built on consistency and our customers trust us to deliver on quality, safety, specification and price, every time.



TECHNOLOGY

SAIC are leaders in the technical revolution, continually leading the way in the development of new technology and solutions for the automotive industry. Significant investment allows SAIC to bring us some of the most advanced vehicles in their class, with a strong focus on reducing environmental impacts. Technology is driving all of our futures and LDV is leading the charge.



AMBITION

We are nothing if not ambitious and LDV's impressive line-up of vehicles together with our plans for the future are a testament to the scale of our ambition.



The VM Eco-D 2.5 engine powers the LDV V80. Its highly regarded reputation has made this engine standard equipment in many international vehicle brands around the world, making it a solid choice for the LDV V80. VM Motori is based in Cento, Italy and brings Italian flair and innovation to the V80 project.

VM Motori Eco-D 2.5L turbo diesel engine with:

- Bosch electronically controlled common rail direct fuel injection system
- Turbocharger with inter-cooler
- Aluminium cylinder head
- Cast iron block with cylinder wet liners
- Polymer skirted pistons
- Exhaust gas recirculation (EGR) (SCR)
- 4 cylinders (16 Valves)
- 9.20 x 9.40mm (bore x stroke)
- 2499cc total displacement
- 100kW @ 3800rpm (136 PS)
- 330Nm @ 1800-2600rpm
- 17.5:1 compression ratio
- Euro 6b emission



6

Speed Manual Transmission 80 LITRES

Fuel Tank

136

Engine Power

330

Nm Torque


































































ABS + EBD + BAS + ESP Multi-Safety Protection


Commanding Driving Position With Class-Leading Visibility

European Commercial Vehicle Collision Standards









Advanced Electronic Stability Programme

Occupant safety is paramount to LDV; that is why we provide standard dual airbags with seatbelt pre-tensioning to all vehicle



Not all vehicles are created equal. The re-launched V80 range of vehicles is available with a host of additional features as standard, taking the stress out of your purchasing decision.

Electric and heated side mirrors with integrated turn signals

Single sliding door with rear barn door opening up to 255 degrees (LWB Models)

The classic design of the LDV V80 was engineered in Britain in collaboration with many global automotive specialists, well known component suppliers and respected testing organisations.

Daytime running lights Remote central locking

Side Impact Protect System (SIPS) Reverse parking sensor (Four)



Anti-skid Braking System (ABS) Electronic brake force distribution (EBD) Brake assist system (BAS)
Driver and passenger airbags

Air conditioning (Front)
Cruise control
Power windows (Front)
FM/ AM/ MP3 Player and bluetooth
Three seater cabin
Driver seat with arm rest

8 way adjustable driver's seat
Dual bench with head rests
Driver and passenger deep door storage
and over head storage
Integrated cup holders



A MULIT-TASKING VAN.

When you're working on location it is extremely important to be able to move a full crew and their tools as efficiently as possible to keep costs low and meet every deadline. Our crew cab allows you to move seven of your crew in the comfort of a V80 with all the standard features of the panel van. The CrewCab shares the same variants as the panel van, low roof, medium roof and high roof, meaning you will still have more than enough space to move the cargo you need. The high roof model even has enough space to allow for adult standing space. Clever under rear seat design allows for the maximum use of cargo space.